

Homework 1: Data Types, Functions and Conditionals

Due February 12, 11:59 pm

Worth 10 points

Read this first. A few things to bring to your attention:

1. Start early! If you run into trouble installing things or importing packages, it's best to find those problems well in advance, not the night before your assignment is due!
2. **Make sure you back up your work!** I recommend, at a minimum, doing your work in a Dropbox folder or, better yet, using `git`, which is well worth your time and effort to learn.

Instructions on writing and submitting your homework.

Failure to follow these instructions will result in lost points. Your homework should be written in a jupyter notebook file. I have made a template available on Canvas, and on the course website at http://pages.stat.wisc.edu/~kdlevin/teaching/Spring2021/STAT679/hw_template.ipynb. You will submit, via Canvas, a `.zip` file called `NetID_hwX.zip`, where `NetID` is your NetID and `X` is the homework number. So, if I were to hand in a file for this, homework 1, it would be called `kdlevin_hw1.zip`. Contact the instructor if you have trouble creating such a file.

When I extract your compressed file, the result should be a directory, also called `NetID_hwX`. In that directory, at a minimum, should be a jupyter notebook file, called `NetID_hwX.ipynb`, where again `NetID` is your NetID and `X` is the number of the current homework. You should feel free to define supplementary functions in other Python scripts, which you should include in your compressed directory. So, for example, if the code in your notebook file imports a function from a Python file called `supplementary.py`, then the file `supplementary.py` should be included in your submission. In short, I should be able to extract your archived file and run your notebook file on my own machine. Please include all of your code for all problems in the homework in a single Python notebook unless instructed otherwise, and please include in your notebook file a list of any and all people with whom you discussed this homework assignment. Please also include an estimate of how many hours you spent on each of the sections of this homework assignment.

These instructions can also be found on the course web page at http://pages.stat.wisc.edu/~kdlevin/teaching/Spring2021/STAT679/hw_instructions.html. Please direct any questions to the instructor.

1 Warm up: Defining Simple Functions (2 points)

In this problem, you will get practice defining simple functions in Python.

1. Define a function called `say_hi`, which takes no arguments and prints the string `Hello, world!` when called.

- Define a function called `goat_pad`, which takes a string as its only argument, and prints that string, prepended and appended with the string `goat`. So, `goat_pad('bird')` should produce the output

`goatbirdgoat` ,

`goat_pad('_')` should produce the output

`goat_goat`

and so on. You may assume that the input is a string, so there is no need to perform any error checking in your function.

- Define a function called `print_n`, which takes two arguments, a string `s` and an integer `n` (in that order), and prints the string `n` times, each on a separate line. You may assume that `s` is a string and that the integer `n` is non-negative.

2 Euclid's algorithm (2 points)

Euclid's algorithm¹ is a method for finding the greatest common divisor (GCD) of two numbers. Recall that the GCD of two numbers m and n is the largest number that divides both m and n .

- The Wikipedia page above includes several pseudocode implementations of Euclid's algorithm. Choose one of these, and use it to implement a function `gcd`, which takes two integers as its arguments and returns their GCD. You may assume that both inputs are integers, so there is no need to include any error checking in your function. **Note:** this is one of the rare occasions where you have my explicit permission to look up your answer. Unless otherwise stated (e.g., as in this problem), looking up solutions on Wikipedia or in any other non-class resource will be considered cheating!
- Use your function to evaluate the GCDs of the following pairs of numbers:
 - 2020, 2021
 - 1200, 300
 - 5040, 60
- What does your function do if one or both of its arguments are negative? Does this behavior make sense?

3 Approximating Euler's number e (3 points)

The base of the natural logarithm, e , is typically defined as the infinite sum

$$e = \sum_{k=0}^{\infty} \frac{1}{k!} = 1 + 1 + \frac{1}{2} + \frac{1}{6} + \frac{1}{24} + \dots, \quad (1)$$

where $k!$ denotes the factorial of k ,

$$k! = k \cdot (k - 1) \cdot (k - 2) \cdot \dots \cdot 3 \cdot 2 \cdot 1,$$

¹https://en.wikipedia.org/wiki/Euclidean_algorithm

where we define $0! = 1$ by convention.² In this problem, we will explore different approaches to approximating this number. You may assume that all inputs are as specified, so there is no need for error checking.

1. An early characterization of Euler’s number, due to Jacob Bernoulli, was as the limit of

$$\left(1 + \frac{1}{x}\right)^x \quad (2)$$

as $x \rightarrow \infty$. Define a function called `euler_limit` that takes as its only argument an integer n , and returns a float that approximates e by taking $x = n$ in Equation (2).

2. Define a function called `euler_infinite_sum` that takes a single non-negative integer argument n , and returns an approximation to e based on the first n terms of the sum in Equation (1). Your function should return a float. As an example, `euler_infinite_sum(4)` should return the sum of the first four terms in Equation 1, so that `euler_infinite_sum(4)` returns $1 + 1 + 1/2 + 1/6 \approx 2.667$. **Note:** the sum in Equation 1 starts counting with $k = 0$ (i.e., it is “0-indexed”), while our function starts counting with $n = 1$ (i.e., it is “1-indexed”). `euler_infinite_sum(1)` should use *one* term from Equation (1), so that `euler_infinite_sum(1)` returns 1. Similarly, `euler_infinite_sum(0)` should return 0, since by convention an empty sum is equal to zero. **Note:** you may use the `math.factorial` function to compute $k!$, but I recommend, for the sake of practice, implementing the factorial function yourself, as it is a nice example of a problem that is easily solved with recursion.
3. Define a function called `euler_approx` that takes a single argument, a positive float `epsilon`, and returns the smallest number of terms in the sum in (1) required to obtain an approximation of e that is within `epsilon` of the true value of e . **Hint:** use a while-loop. **Note:** you can use the Python `math` module to get the true value of e (up to floating point accuracy): `math.exp(1)`.
4. Define functions called `print_euler_sum_table` and `print_euler_lim_table` that each takes a single positive integer n as an argument and prints the successive values obtained from `euler_infinite_sum(k)` or `euler_limit(k)` as k ranges from 1 to n , one per line.
5. Which of these two approximations is better? **Note:** there is no strictly right or wrong answer to this question. I am simply asking you to think about this a bit and give a coherent argument one way or another (or at least give a brief discussion of why one might prefer one or the other).

4 Testing Properties of an Integer (3 points)

In this problem, you’ll get a bit more practice working with conditionals, and a first exposure to the kind of thinking that is required in a typical “coding interview” question. An integer n is a *power of 3* if $n = 3^p$ for some integer p .

1. Write a function `is_power_of_3` that takes an integer as its only argument and returns a Boolean indicating whether or not the input is a power of 3. You may assume that the input is a positive integer. You **may not** use the built-in `math.sqrt`

²For more on Euler’s number, see [https://en.wikipedia.org/wiki/E_\(mathematical_constant\)](https://en.wikipedia.org/wiki/E_(mathematical_constant)).

function in your solution. You should need only the division and modulus (%) operations. **Hint:** the simplest solution to this problem makes use of recursion, though recursion is not necessary.

2. Generalize your previous solution to a function `is_power` that takes as arguments a positive integer b and an integer n , in that order, and returns a Boolean. `is_power(b,n)` should return `True` if n is a power of b (i.e., $n = b^p$ for some integer p) and `False` otherwise. You may assume that b is a positive integer and that n is an integer, so there is no need for error checking.