

STAT 405 GROUP 8 FINAL PROJECT

Weather-Based Clustering of Indian Cities

Flora He, Jiawei Zhang, Lexiang Liu, Yuchen Wang, Huiyu Li




01
PROJECT
BACKGROUND






DATASET

- *Weather information (2010-2024) for 5585 cities across India.*
- *Key variables: temperature, humidity, precipitation, wind, air pressure, etc.*



MOTIVATION

- *Explore how Indian cities group together based on their weather patterns, providing insights into the natural distribution and similarities across different regions.*




02 *PARALLEL COMPUTING*


GENERAL WORKFLOW



*DATA PREPARING AND
PROCESSING*



CLUSTERING



GRAPHING

Download and extract data

One step, do once



data/cityname.csv files

One step, do once



Process: Abbigeri.csv Abdullahnagar.csv ... 4685 files

4685 parallel jobs, repeatable



merged.csv

1 job, repeatable



kmeans_results.csv

1 job, repeatable



Visualization

1 job, repeatable

DATA PREPARING

Weather_Data_Scraping_and_Analysis/

weather-data-scraping-and-analysis.ipynb

weatber.csv

w_d_1/

1762 cityname.csv files

w_d_2/

2087 cityname.csv files

w_d_3/

w_d_3/

836 cityname.csv files

Weather_Data_Scraping_and_Analysis/

weather-data-scraping-and-analysis.ipynb

weatber.csv

data/

All 4685 cityname.csv files

(replaced spaces with underscores in file names)



FEATURE SELECTION

- *19 features in original dataset*
- *5 features after selection*
- *'temperature_2m', 'relative_humidity_2m',
'precipitation', 'pressure_msl', 'cloud_cover'*



DATA PROCESSING

For each .csv file, do:

1. Select the recent 5-year rows


2. Extract mean values of the 5 variables over each month

3. Output a new cityname.csv file to another directory (1 row x 60 columns)


4. Merge all new cityname.csv files to merged.csv (added one column for city names)

4685 + 1 jobs in total






K-means Clustering



- 1. Read data from merged.csv*
 - 2. Scale data for better clustering*
 - 3. Apply K-means clustering*
 - 4. Merge data with geographic coordinates*
 - 5. Export result as kmeans_results.csv*
- 



Clustering of Indian cities based on weather patterns



Comparison



CONCLUSION



- *From the comparison images, it can be observed that the classification map generated based on weather data shows a similar trend to the climatic map. This may be due to the close relationship between geological features and weather variation patterns.*
- *After this, in order to further improve the images, we hope to incorporate more weather data into the analysis and perform more detailed classification.*





*Thank
You*